



**New**

## Lokotrack ST272 Mobile Screen





## Lokotrack ST272 – the new heavy-duty design mobile screen

Metso Minerals, the world leader in rock and mineral processing, unveils the new Lokotrack ST272 track-mounted mobile screen. The ST272 provides the ideal solution for recycling, rock processing and waste screening applications, where high production capacity and efficient screening are required.

The unit is capable of producing three end products and, due to its heavy-duty design, accepts feed material of up to 600 mm (24").

### High performance with excellent mobility

The solid construction added to intelligent design of the Lokotrack ST272 offers durability and extended lifetime in demanding, heavy-duty applications. The high performance scalping screen accepts a wide range of screen media options for excellent versatility and flexibility.

The new engine is designed to meet the latest global emission regulations. The higher rated power availability allows the engine to operate well within the recommended load parameters giving durability even in the most difficult applications.

The Lokotrack ST272 is mounted on heavy-duty 400 mm (16") wide hydraulically driven tracks, providing agile on-site mobility and low ground pressure. Optional remote control enables safe and easy relocation on-site.

All conveyors are hydraulically folded and remain on board for transport, minimizing costs. The unit's dimensions enable efficient co-operation with other Metso Minerals crushing and screening equipment. The entire process is optimized via IC automation.


### User-friendly IC300 technology

The IC300 intelligent controller offers fully automated control of all machine functions when in screening process mode. Its screen speed, amplitude and conveyor loads are constantly monitored and adjusted, maximizing production rates and end product quality.


A user-friendly interface with a new visual color display enables easy operation, with a one-button process sequence start, and advanced diagnostics for easy maintenance.

### Lokotrack ST272 highlights

- ✓ Large two-deck, two-bearing screen with wide range of screening media
- ✓ Highly versatile unit applicable from primary crusher feed preparation to end product screening
- ✓ Ease of use and maximized production, thanks to intelligent automation system
- ✓ Unmatched reliability provides maximum machine availability







## Technical data

### Standard features

- Screen box
- Hydraulic folding hopper
- Apron feeder
- Heavy-duty tracks
- Hydraulic folding conveyors
- Maintenance platform
- Emergency stop system
- Variable speed feeder and conveyors
- Remote control of movement
- IC300 intelligent control with color display
- Powerpack 125 kW (170 HP)

### Options

- Wide range of screening media
- Radio control of movement and process control
- LT-ST interlocking cable
- Special paint

### Specifications

Hopper capacity	4.8 m <sup>3</sup>	(6.3 yd <sup>3</sup> )
Loading height	3 565 mm	(11' 8")
Loading width	3 000 mm	(9' 10")
Loading length	4 185 mm	(13' 9")
Screen width	1 524 mm	(5')
Screen length	4 866 mm	(16')
Screen area per deck	6.6 m <sup>2</sup>	(7.9 yd <sup>2</sup> )
Screen stroke	11 mm	(0.43")
Screen speed	850 rpm	
Screen angles working	10-17°	
Engine make/model	TCD 2013 L04 2V	
Engine power	125 kW	(170 HP)
Hydraulic tank capacity	431 l	(114 gal)
Diesel fuel capacity	273 l	(72 gal)
Operational length	14 510 mm	(47' 7")
Operational width	15 190 mm	(49' 10")
Operational height	4 940 mm	(16' 2")

### Transport dimensions

Length	14 100 mm	(46' 3")
Width	3 000 mm	(9' 10")
Height	3 560 mm	(11' 8")
Weight	34 240 kg	(75 500 lbs)

**Metso Minerals Crushing Equipment**  
**Our ranges:**

**Unit Crushers**

C Series jaw crushers  
Primary gyratory crushers  
GP Series cone crushers  
HP Series cone crushers  
MP Series cone crushers  
NP Series horizontal impact crushers  
VI Series vertical impact crushers  
Barmac Series vertical impact crushers  
Lindemann Series metal crushers  
Nordberg laboratory crushers

**Mobile Equipment**

LT Series mobile crushing plants  
NW Series portable plants

**Complete Plants**

Complete plants for aggregate production  
Complete plants for recycling

**Metso Minerals  
Construction**

Lokomonkatu 3, P.O. Box 306  
33101 Tampere  
Finland  
Phone: +358 204 84 142  
Fax: +358 204 84 143

**e-mail: [minerals.info.csr@metso.com](mailto:minerals.info.csr@metso.com)**  
**[www.metsominerals.com](http://www.metsominerals.com)**

**Australia and New Zealand**

Metso Minerals (Australia) Ltd  
1110 Hay Street  
West Perth, WA 6005  
Australia  
Phone: +61 8 9420 5555  
Fax: +61 8 9320 2500

**China**

Metso Minerals (Beijing) Ltd  
19/F, The Exchange Beijing, Tower 4,  
China Merchants Centre,  
No. 118 Jian Guo Lu Yi Chaoyang District  
100022 Beijing,  
China  
Phone: +86 10 6566 6600  
Fax: +86 10 6566 2583

**India and Asia-Pacific**

Metso Minerals (India) Pvt Ltd  
1st Floor, DLF Building No. 10,  
Tower A, DLF Cybercity  
DLF Phase II,  
Gurgaon 122002  
India  
Phone +91 124 235 1541  
Fax: +91 124 235 1601

**Europe, Middle East and Africa**

Metso Minerals España, S.A.  
C/ Rivas N° 4  
28032 Madrid  
Spain  
Tel: +34 91 825 5700  
Fax: +34 91 825 5740

**North and Central America**

Metso Minerals Industries Inc.  
20965 Crossroads Circle  
Waukesha, WI 53186  
U.S.A.  
Phone: +1 262 717 2500  
Fax: +1 262 717 2504

**Russia and other CIS countries**

ZAO Metso Minerals (CIS)  
V.O. Liniya, 70  
199178 St. Petersburg  
Russia  
Phone: +7 812 740 3040  
Fax: +7 812 740 5775

**South America**

Metso Minerals Indústria e Comércio Ltda  
Avenida Independência, 2500 - Éden  
18087-050 Sorocaba  
Brazil  
Phone: +55 15 2102 1300  
Fax: +55 15 2102 1696

